



# Global timing of hepatitis C virus elimination: estimating the year countries will achieve the World Health Organization elimination targets

Homie Razavi<sup>a</sup>, Yuri Sanchez Gonzalez<sup>b</sup>, Andreas Pangerl<sup>b</sup>, Markus Cornberg<sup>c</sup>

<sup>a</sup> Center for Disease Analysis, Lafayette, CO, United States, <sup>b</sup> AbbVie Inc., North Chicago, IL, United States, <sup>c</sup> Department of Gastroenterology, Hepatology and Endocrinology, Medizinische Hochschule Hannover, Hannover, Germany

Presented at The International Liver Congress • 10–14 April 2019 • Vienna, Austria

## INTRODUCTION

The introduction of highly efficacious pan-genotypic therapies for hepatitis C virus (HCV) infection has made the elimination of HCV an attainable goal

## OBJECTIVES

This study assessed the progress made in 45 high-income countries and territories towards meeting the 2030 HCV elimination targets<sup>1</sup> set by the World Health Organization (WHO) for incidence, mortality, diagnosis, and treatment

## METHODS

- A previously published Markov disease progression model<sup>2</sup> of HCV infection was populated with demographic and epidemiological inputs for 45 high-income countries and territories from the United Nations World Population Prospects<sup>3</sup> and the Polaris Observatory,<sup>4</sup> respectively
- Primary modification to the published model was the calculation of incidence:
  - Incident cases of HCV were separated into vertically<sup>5</sup> and horizontally acquired infections
  - Future incidence was assumed to change at the same annual rate as prevalence
    - FO (on METAVIR scale) prevalence was used where treatment was restricted by fibrosis score, and overall prevalence was used where treatment was not restricted to simulate the impact of treatment as prevention
- Maintaining the standard of care in 2017 (number of new diagnoses and antiviral treatments, treatment eligibility, and average sustained virologic response) was defined as the status quo
- Modeled outcomes for prevalence, incidence, liver-related deaths due to HCV infection, as well as reported data on diagnosis and antiviral treatment were analyzed to determine the year in which a country or territory would meet the WHO's 2030 targets to eliminate HCV:
  - 80% reduction in incidence of chronic HCV infections between 2015 and 2030
  - 65% reduction in liver-related deaths due to chronic HCV infection between 2015 and 2030
  - 90% diagnosis coverage of HCV-infected population in 2015
  - 80% treatment coverage of eligible HCV-infected population in 2015
- Additionally, the minimum number of annual treatments necessary to achieve the treatment target for HCV elimination, starting in 2020, was calculated

## RESULTS

- Of 45 high-income countries and territories, 30 were projected to not eliminate HCV before 2050
  - Nine (Australia, France, Iceland, Italy, Japan, South Korea, Spain, Switzerland, and the United Kingdom) were on track towards eliminating HCV by 2030,
  - Three (Austria, Germany, and Malta) were projected to eliminate HCV by 2040, and three more (Ireland, the Netherlands, and Saudi Arabia) by 2050
- The number of high-income countries and territories that failed to meet each WHO target for HCV elimination was: 34 (incidence), 30 (mortality), 20 (diagnosis), and 26 (treatment)

## CONCLUSIONS

- Despite the introduction of curative therapies, 80% of high-income countries and territories are not on track to meet the WHO's targets that would eliminate HCV as a public health threat by 2030, and 67% are off-track by at least 20 years.
- Immediate action to improve HCV diagnosis and treatment is needed to make the global elimination of HCV by 2030 an attainable goal.

## REFERENCES

- WHO. Global Health Sector Strategy on Viral Hepatitis 2016–2021. Towards Ending Viral Hepatitis: World Health Organization, 2016.
- Blach S, Zeuzem S, Manns M, et al. Global prevalence and genotype distribution of hepatitis C virus infection in 2015: a modelling study. *The Lancet Gastroenterology & Hepatology* 2017; 2(3): 161–76.
- United Nations, Department of Economic and Social Affairs, Population Division (2017). *World Population Prospects: The 2017 Revision*
- The CDA Foundation. *Hepatitis C*. Lafayette, CO: CDA Foundation, 2019. Available from <http://cdfafound.org/polaris/> (Accessed January 14, 2019)
- Benova L, Mohamoud YA, Calvert C, Abu-Raddad LJ. Vertical transmission of hepatitis C virus: systematic review and meta-analysis. *Clin Infect Dis* 2014; 59(6): 765–73.

**Disclosures:** The design, analysis, and financial support of this study were provided by AbbVie Inc.. AbbVie Inc. participated in the interpretation of data, review, and approval of the study. Homie Razavi is an employee of Center for Disease Analysis (CDA). CDA has received funding from AbbVie Inc. for this project. CDA has also received research funding from AbbVie, Gilead, and Intercept. Yuri Sanchez Gonzalez is an employee of AbbVie Inc. and may own AbbVie stock or stock options. Andreas Pangerl was an employee of AbbVie Inc. at the time this study was conducted and may own AbbVie stock or stock options. Markus Cornberg is an employee of Medizinische Hochschule Hannover and is a consultant for AbbVie Inc.. He is also a consultant/speaker for Gilead and MSD Sharp & Dohme.


**Acknowledgements:** Medical writing support was provided by Ivane Gamkrelidze, employee of CDA, who contributed to the data analysis and/or the drafting of the poster. AbbVie Inc. provided funding for this medical writing support.

Table 1. Year of elimination of HCV by country or territory

Country or territory	Year in which the WHO's 2030 target was met				Annual treatments necessary to achieve WHO's 2030 treatment target	Restrictions on treatment by fibrosis score in 2017	Year of elimination
	Incidence	Mortality	Diagnosis	Treatment			
Australia	2026	2024	2016	2021	5,400	No	2026
Austria	2031	2021	2026	2022	560	No	2031
Bahrain	–	–	–	–	1,100	Yes	–
Belgium	2042	2039	2029	2042	3,900	Yes	–
Canada	2043	2029	2022	2029	10,000	Yes	–
Chile	2050	–	–	–	2,300	Yes	–
Cyprus	2042	–	–	–	200	Yes	–
Czechia	–	–	2046	–	3,100	Yes	–
Denmark	–	–	2030	–	1,100	Yes	–
Estonia	2041	–	–	2048	930	Yes	–
Finland	–	–	2017	2046	1,300	Yes	–
France	2025	2023	2016	2021	4,100	No	2025
Germany	2027	2029	2031	2030	9,600	No	2031
Greece	–	2046	2028	–	6,100	Yes	–
Hong Kong SAR of China	–	–	2045	–	1,100	Yes	–
Hungary	–	–	2042	2044	2,800	Yes	–
Iceland	2023	2019	2016	2017	*	No	2023
Ireland	2046	2049	2028	2035	1,600	No	2049
Israel	2035	–	–	–	6,100	Yes	–
Italy <sup>a</sup>	2028	2023	<sup>a</sup>	2029	40,900	No	2029
Japan <sup>b</sup>	2026	2023	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	No	2026
Kuwait	–	–	2040	–	1,400	No	–
Latvia	–	2019	2023	2042	2,100	Yes	–
Lithuania	–	–	2040	2048	1,900	Yes	–
Luxembourg	2040	–	2032	2033	260	No	–
Malta	2028	2033	2015	2023	40	No	2033
Netherlands	2045	2049	2033	2028	980	No	2049
New Zealand	2041	2037	2033	2027	2,200	No	–
Norway	–	–	2020	2030	940	Yes	–
Oman	–	2042	2037	2041	860	Yes	–
Poland	–	–	2047	2041	8,100	No	–
Portugal	–	–	–	2048	5,100	No	–
Qatar	2041	–	2026	–	2,000	Yes	–
Saudi Arabia	2042	2046	2034	2030	4,800	No	2046
Singapore	2049	–	2030	–	990	Yes	–
Slovakia	–	–	–	–	2,300	Yes	–
Slovenia	–	–	2029	2040	340	Yes	–
South Korea	2025	2029	2029	2030	11,000	No	2030
Spain	2024	2020	2021	2020	5,300	No	2024
Sweden	–	2022	2016	2030	1,600	Yes	–
Switzerland	2029	2026	2024	2024	1,600	No	2029
Taiwan (Province of China)	–	2031	2041	–	30,300	Yes	–
United Arab Emirates	–	–	2030	–	7,800	No	–
United Kingdom	2029	2028	2025	2023	5,800	No	2029
United States	–	2022	2025	2026	106,000	Yes	–

HCV — hepatitis C virus; WHO — World Health Organization; \* — treatment target has already been achieved; “–” — elimination target was not met by 2050; Hong Kong SAR of China — Hong Kong Special Administrative Region of China; <sup>a</sup> Due to high all-cause and liver-related mortality among the HCV-infected population, caused by an older prevalent population, the diagnosis target was excluded while assessing the year of elimination; <sup>b</sup> Due to high all-cause and liver-related mortality among the HCV-infected population, caused by an older prevalent population, the diagnosis and treatment targets were excluded while assessing the year of elimination

Figure 1. Year of elimination of HCV by country or territory



HCV — hepatitis C virus; Hong Kong SAR of China — Hong Kong Special Administrative Region of China