


Five years of comprehensive attention: applying the world federation of hemophilia recommendations Nursing

Monica Colonia, Nurse Integral IPS Medellín, Colombia

Within the comprehensive treatment of hemophilia patients, nursing care is an essential component in their clinical course, developing educational, guidance and supporting activities, and emphasizing on the infusion of clotting factor concentrates; highlighting the importance of self-care, empowerment and self infusion.



The most frequent nursing diagnoses in our patients are the risk of bleeding, impaired physical mobility and loss of locomotion ability, related to the deficit of VIII or IX clotting factor, which are administered considering the NANDA nursing diagnoses (North American Nursing Diagnosis Association).



This percentage corresponds to patients attending nursing consultation, always acting in accordance to indications. This aspect demonstrates motivation for treatment and a positive attitude, generating self-care behaviors, liability and proper management of their disease.



70 %

The nursing service activities have generated a satisfactory evolution in 70% of patients with Hemophilia A and Hemophilia B, who have shown a noticeable decrease in the incidence of spontaneous bleeding episodes, thanks to their education.



It is satisfying for us to see that our work with Hemophilia patients has made great achievements; our commitment to improve their quality of life is further reflected in their attempts to lead a normal life. We have the duty of continuing our team work, to reach a 100% of patients showing evidence of excellent progress on empowerment, care and management of their disease.

www.integralips.com



KEDRION
BIOPHARMA



ORGANIZACIÓN
Vihonco

Integral... IPS

